



ITW

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of  
THOMASSET

Serial No. 10/591,126

Filed: August 30, 2006

Confirmation No.: 7345

Atty. Ref.: DMB-2590-166

TC/A.U.: 1782

Examiner: Erik Kashnikow

For: MULTILAYER DOSE HAVING A CONCAVE SURFACE

\* \* \* \* \*

November 10, 2010

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**INFORMATION DISCLOSURE STATEMENT**

Sir:

The applicant advises the USPTO that it filed the following pending U.S. applications on  
about the same date:

<u>N&amp;V Ref. No.</u>	<u>U.S. Appln. Serial No.</u>
2590-163	10/590,201
2590-164	10/591,117
2590-165	10/591,116
2590-166	10/591,126
2590-167	10/591,127

Office Actions issued in four of these five cases. A summary of the Office Actions is set  
forth below.

U.S. Patent Application 10/590,201 (2590-163)

Office Action 05/18/2010

Notice of Allowance 09/23/2010

U.S. Patent Application 10/591,117 (2590-164)

Office Action 10/04/2010

U.S. Patent Application 10/591,126 (2590-166)

Advisory Action 08/19/2010

U.S. Patent Application 10/591,127 (2590-167)

Office Action 09/01/2010


Copies of the foregoing Office Actions are attached. Also, the attached form identifies the Office Actions and the references cited therein.

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By: \_\_\_\_\_



Duane M. Byers  
Reg. No. 33,363

DMB:lfo  
901 North Glebe Road, 11th Floor  
Arlington, VA 22203-1808  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100